



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/750,581

12/29/2003

Robert E. Higashi

H0005015-0760(1100.123710

8573

128 7590 04/16/2008
HONEYWELL INTERNATIONAL INC.
101 COLUMBIA ROAD
P O BOX 2245
MORRISTOWN, NJ 07962-2245

EXAMINER

ECHELMMEYER, ALIX ELIZABETH

ART UNIT

PAPER NUMBER

1795

MAIL DATE

DELIVERY MODE

04/16/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/750,581	Applicant(s) HIGASHI ET AL.	
	Examiner Alix Elizabeth Echelmeyer	Art Unit 1795	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 24 January 2008.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 29-34,36,37,39-56 and 58-66 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 29-34,36,37,39-56 and 58-66 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on January 24, 2008 has been entered.
2. Claims 29, 33, 34, 36, 37, 39-41, 43-45, 47, 54-56 and 58-60 have been amended. Claims 61-66 have been added. Claims 29-34, 36, 37, 39-56 and 58-66 are pending and are rejected for the reasons given below.

Claim Interpretation

3. Claims 29-34, 36, 37, 39-56 and 58-66 are directed to electrodes for a fuel cell, wherein the electrodes have apertures, and a proton exchange membrane is sandwiched between the apertures. The instant specification teaches that the catalyst layers are formed on the membrane, and not on the so-called electrodes (Claim 2, [0029], [0031], [0039], etc. of the instant specification, see US Pre-Grant Publication 2005/0142410). For the purposes of examination, the electrodes as claimed will be interpreted to be current collectors, since the catalyst layer is already contained in the membrane.

Art Unit: 1795

4. Claims 29-34, 36, 37, 38-46, 54-56 and 58-66 are drawn to method claims. The claims are directed, for example, to “forming a first aperture ...” and “providing” various components. Since an assembled fuel cell having the structural requirements of the method claims would inherently have been formed by “providing” those components, a fuel cell having the structure required by the method claims is interpreted to having been formed by that method.

5. The newly added limitations include limitations to at least a portion of certain surfaces of the electrode layers being conductive. If the entire layer is conductive, as in claims 42 and 43, then at least a portion of the surface is conductive.

Claim Rejections - 35 USC § 112

6. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

7. Claims 29-34, 35-37, 39-56 and 58-66 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention.

One having ordinary skill in the art would not be enabled to create the fuel cells of the claimed invention having the membrane exposed by the apertures, where the parts of the membrane that are exposed are not covered by the catalyst, but where the

Art Unit: 1795

catalyst covers all other parts of the membrane (see Figure 4C of the instant invention).

First, it is unclear how the reactants would split into hydrogen and oxygen ions,

respectively, if the reactants provided through the apertures are not reacted at the

catalyst. Second, it appears that the cells would short when the electrical connects are

made without a load, as depicted in Figure 7.

MPEP 2164.01(a) Undue Experimentation Factors

There are many factors to be considered when determining whether there is sufficient evidence to support a determination that a disclosure does not satisfy the enablement requirement and whether any necessary experimentation is "undue." These factors include, but are not limited to:

- (A) The breadth of the claims;
- (B) The nature of the invention;
- (C) The state of the prior art;
- (D) The level of one of ordinary skill;
- (E) The level of predictability in the art;
- (F) The amount of direction provided by the inventor;
- (G) The existence of working examples; and
- (H) The quantity of experimentation needed to make or use the invention based on the content of the disclosure.

In re Wands, 858 F.2d 731, 737, 8 USPQ2d 1400, 1404 (Fed. Cir. 1988)

The disclosed invention fails to satisfy the enablement requirement based on several factors from the above list. Only the relevant factors will be addressed.

(B) The nature of the invention shows that the invention is not enabled since the invention causes the fuel cells to short circuit by forming an electrical connection without a load.

(C) The state of the prior art supports the determination that the disclosure does not satisfy the enablement requirement since it is known within the art that a catalyst is needed to split the reactants into hydrogen and oxygen ions to perform the electrochemical reaction of a fuel cell..

(D) The level of one of ordinary skill supports the determination that the disclosure does not satisfy the enablement requirement. Based on the disclosure, one having ordinary skill in the art would be unable to produce a working fuel cell, since the catalyst would not be present in the apertures where the reactants are provided and the lack of a load would result in the shorting of the fuel cell.

Thus, based on the above analysis, one of ordinary skill in the art at the time the invention was made would not have known how to make an operative fuel cell based on Applicants' disclosure without undue experimentation.

Claim Rejections - 35 USC § 102

8. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

9. Claims 29, 30, 33, 34, 36-48, 54, 56 and 60-66 are rejected under 35 U.S.C. 102(b) as being anticipated by Pratt et al. (US Patent 6,127,058).

With regard to claim 29, Pratt et al. teach a planar fuel cell having a membrane electrode assembly sandwiched between two current collectors (abstract). Pratt et al. further teach that the assembly is held together by an adhesive (column 5 lines 9-13). In Figure 4, it is seen that the membrane electrode assembly contains electrodes that are separated by an aperture, if one considers that the electrodes were all one sheet and

then cut apart to form individual electrodes. The current collecting assembly (44, 45, 46) covers the areas where the electrodes do not cover the membrane, or aperture.

It is clear from Figure 4 that, when the parts are placed together in an assembly, the apertures would be aligned. One having ordinary skill in the art would recognize that, since the size and shape of the conductors is the same and since the locations of the apertures are the same, the apertures would line up when the assembly is made.

As for claims 30, 48 and 62, Pratt et al. teach that the membrane is coated on both sides with a catalyst (column 5 lines 6-8).

Regarding claims 33-35, 42, 43, 54 and 56 in one embodiment Pratt et al. teach metal current collectors on a plastic film (column 5 lines 13-29). The current collector is inherently conductive since it must conduct electricity in order for the fuel cell to function. Further, when the plastic film is considered as a frame and the metal current collectors are considered the electrodes, then the entire metal current collector, not including the film, is conductive on both surfaces. This means that both surfaces are conductive and are in electrical contact with each other. With further regard to claim 47, the current conductor also serves as a through contact, since the top and bottom surfaces are both conductive and are electrically connected.

Regarding claim 37, the current collectors are conductive layers provided on the plastic film. In this case, the electrode is the plastic film, which is nonconductive, and the metal current collectors are conductive, so the current collecting layer, or "electrode

Art Unit: 1795

layer” of the instant claims, is both conductive, because of the metal current collectors, and nonconductive, because of the plastic film.

As for claims 36, 47, 64 and 65, the adhesive layer discussed above must be conductive in order for the fuel cell to produce electricity, so it will be considered as a conductive layer. The layer would be provided after the apertures were formed in the current collecting layer (column 5 lines 9-13).

As for claim 39, the adhesive layer covers part of the aperture surfaces, as just discussed and as seen in Figure 4.

Regarding claims 40, 41, 44 and 45, the conductive layer would inherently extend through the apertures since it must conduct electricity out of the fuel cell because the entire layer is conductive and includes apertures.

As for claim 61, since the layers of Pratt et al. are joined it would follow that they were passed through a joining unit.

As for claim 63, a plurality of electrical contacts is seen in Fig. 4 (46), since current collector is an electrical contact and there are a plurality of extensions.

With regard to claim 66, the fuel cell system of Pratt et al. would inherently have a fuel reservoir to provide fuel to the anode, which is connected to the proton exchange membrane, since one of ordinary skill in the art would recognize that such a reservoir would be necessary in order to provide fuel to the fuel cell and generate electricity.

Claim Rejections - 35 USC § 103

10. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

11. Claims 58-59 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pratt et al. in view of Diekmann et al. (US 6,268,076).

The teachings of Pratt et al. as discussed above are incorporated herein.

Pratt et al. teach the fuel cell having apertures as discussed above, but fail to teach a conductive feed-through through the first material. Pratt et al. do teach the first material (44, 45 in Figure 4) and electrical contacts (46), but the contacts are only on one side of the non-conduction portion of the current collector.

Diekmann et al. teach a current collector having connections that are enveloped in conductive material (column 6 lines 10-25).

It would have been obvious to provide current collecting material on all sides of the electrode tabs of Pratt et al. such as taught by Diekmann et al. since it would allow for electrical connections to be made from any side of the tab, not just the side that has connective material as in Pratt et al.

12. Claim 55 is rejected under 35 U.S.C. 103(a) as being unpatentable over Pratt et al. in view of Simonton (US 4,906,536).

The teachings of Pratt et al. as discussed above are incorporated herein.

Pratt et al. fail to teach dicing the array after it is formed.

Simonton teaches an array that is formed continually and cut to form the desired size of array (column 12-25).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to cut the array of Pratt et al. into the desired size such as taught by Simonton since it would allow for mass production of arrays even if large arrays were not needed, making the manufacturing process more efficient.

13. Claims 31 and 32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pratt et al. in view of Stanley et al. (US Pre-Grant Publication 2004/0053100).

The teachings of Pratt et al. as discussed above are incorporated herein.

Pratt et al. teach a method for providing a membrane electrode assembly but fail to teach the instantly claimed membrane and catalyst materials.

Stanley et al. teach a membrane made of polytetrafluoroethylene and a perfluorosulfonic acid ([0034]). The catalyst of Stanley et al. may be platinum supported on carbon black ([0066]).

Stanley et al. teach that it is conventional to use a solid polymer electrolyte, such as one made of polytetrafluoroethylene and a perfluorosulfonic acid, since it is dimensionally stable and inert ([0007], [0034]).

Stanley et al. further teach that platinum supported on carbon black is a conventionally recognized catalyst for enhancing reaction rate ([0007], [0066]).

It would have been desirable to form the membrane and catalyst of Pratt et al. with the materials taught by Stanley et al. since they would form a fuel cell that was dimensionally stable and inert, and enhanced the reaction.

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to form the membrane and catalyst of Pratt et al. with the materials taught by Stanley et al. since they would form a fuel cell that was dimensionally stable and inert, and enhanced the reaction.

14. Claims 49-53 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pratt et al. in view of Badding et al. (US Pre-Grant Publication 2002/0102450).

The teachings of Pratt et al. as discussed above are incorporated herein.

Pratt et al. teach a fuel cell assembly that is very thin (column 5 line 39).

Pratt et al. fail to teach the specifically claimed dimensions.

Badding et al. teach a fuel cell apparatus having thicknesses for various components of 0.1 to 50 microns, which is desired in order to provide a current path while overcoming the resistivity of various materials ([0052]).

It would have been desirable to create parts of the fuel cell of Pratt et al. as small as possible, such as in the dimensions of Badding et al., in order to create a fuel cell that was very thin but still functioned to overcome the resistivity of the materials used.

It has been held that discovering an optimum value of a result effective variable involves only routine skill in the art. MPEP 2144.05 (IIB). For example, in each claim the thickness is considered. Since the thickness is a result effective variable as taught by

Badding et al., yet the thickness is also desirably minimized, then it would be obvious over Pratt et al. in view of Badding et al. to find the optimum thickness value.

Response to Arguments

15. Applicant's arguments filed January 24, 2008 have been fully considered but they are not persuasive.

On page 11, Applicant argues that Pratt et al. does not disclose an electrode having a first surface that is conductive and the other electrode having a second surface that is conductive. As discussed above, when the current collectors of Pratt et al. are considered the electrodes, the entire electrode including all of both surfaces is conductive.

As for the alignment, the examiner is not convinced that Pratt et al. do not teach alignment of the apertures. It is hard to believe that one having ordinary skill in the art would look at Figure 4 of Pratt et al. and think that the apertures were *not* aligned.

On page 13, Applicant argues that no motivation has been provided to extend the conductive feed-through through the first material as required in claims 54-56 and 58-60. The examiner disagrees. If the conductive feeds were extended as suggested in the rejection, they would connect to the conductive parts 44. One of ordinary skill in the art would certainly not make conductive connections that did not connect to the fuel cell, since that would render the fuel cell inoperable. It is of the opinion of the examiner that one of ordinary skill in the art would recognize that any conductive contacts would actually have to be connected to the electricity-generating fuel cell.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alix Elizabeth Echelmeyer whose telephone number is (571)272-1101. The examiner can normally be reached on Mon-Fri 8-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Susy N. Tsang-Foster can be reached on 571-272-1293. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Alix Elizabeth Echelmeyer
Examiner
Art Unit 1795

aee

/Susy N Tsang-Foster/
Supervisory Patent Examiner, Art Unit 1795